


[Web](#)
[Images](#)
[Video](#)
[News](#)
[Maps](#)
[more »](#)



[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

**Scholar**   [All articles](#) - [Recent articles](#)   Results 1 - 10 of about 1,400 for **adaptor (primer or cDNA) microRNA**

Did you mean: [adaptor \(primer \*for\* cDNA\) \*microaRRAY\*](#)

[Cloning and identification of a \*\*microRNA\*\* cluster within the latency-associated region of Kaposi's ...-  
 ►nih.gov](#)

MA Samols, J Hu, RL Skalsky, R Renne - Journal of virology, 2005 - Am Soc Microbiol  
 ... Differences between 3' and 5' **adapters** allowed us to determine ... The resulting **cDNA**  
 pool was amplified by PCR (20 ... 12 cycles) using a second PCR **primer** pair which ...  
[Cited by 110](#) - [Related articles](#) - [Web Search](#) - [All 10 versions](#)

[Expression of microRNAs is dynamically regulated during cardiomyocyte hypertrophy- ►nih.gov](#)  
 M Tatsuguchi, HY Seok, TE Callis, JM Thomson, JF ... - Journal of molecular and cellular cardiology, 2007 - Elsevier  
 ... **MicroRNA** Northern blot analyses were as described [4 ... then reversed-transcribed using  
 an oligo(dT) **adapter primer**. Resulting **cDNA** was used in a PCR reaction with ...  
[Cited by 54](#) - [Related articles](#) - [Web Search](#) - [All 7 versions](#)

[Mouse \*\*microRNA\*\* profiles determined with a new and sensitive cloning method- ►nih.gov](#)  
 S Takada, E Berezikov, Y Yamashita, M Lagos- ... - Nucleic Acids Research, 2006 - Oxford Univ Press  
 ... miRBase release 7.1 at <http://microRNA.sanger.ac.uk> ... from degraded RNAs and  
**adaptor-primer** concatamers without ... Clontech) for an efficient **cDNA** amplification ...  
[Cited by 30](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 13 versions](#)

[Facile means for quantifying \*\*microRNA\*\* expression by real-time PCR](#)  
 R Shi, VL Chiang - Biotechniques, 2005 - cat.inist.fr  
 ... with a poly (T) **adapter** into **cDNAs** for real ... time PCR using the **miRNA**-specific forward  
**primer** and the sequence complementary to the poly (T) **adapter** as the ...  
[Cited by 68](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 16 versions](#)

[Identification of human fetal liver miRNAs by a novel method](#)  
 H Fu, Y Tie, C Xu, Z Zhang, J Zhu, Y Shi, H Jiang, ... - FEBS letters, 2005 - Elsevier  
 ... Construction and screen of **cDNA** library of small RNA. ... A 5' **adapter** (5'-CGA CUG GAG  
 CAC GAG GAC ACU GAC AUG ... using 1.5 µg RNA and 1 µg of RT **primer** (ATT CTA ...  
[Cited by 46](#) - [Related articles](#) - [Web Search](#) - [All 5 versions](#)

[Identification of microRNAs and other small regulatory RNAs using \*\*cDNA\*\* library sequencing](#)  
 M Hafner, P Landgraf, J Ludwig, A Rice, T Ojo, C ... - Methods, 2008 - Elsevier  
 ... To prepare **cDNA** from the isolated small RNAs, we ... The **adapters** introduce **primer**-binding  
 sites for reverse ... sites present within the **adapter/primer** sequences can ...  
[Cited by 19](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

[MicroRNA expression detected by oligonucleotide microarrays: system establishment and  
 expression ...- ►cshlp.org](#)  
 O Barad, E Meiri, A Avniel, R Aharonov, A Barzilai ... - Genome research, 2004 - genome.cshlp.org  
 ... Following ligation, the material was converted to **cDNA** using a **primer**  
 complementary to the 3' **adapter** (5'-TAATACGACTCACTATAGGCCA-3'). ...  
[Cited by 184](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 7 versions](#)